



**General Certificate of Secondary Education  
June 2011**

**Mathematics (Linear)**

**43062H**

**(Specification 4306)**

**Paper 2: Higher Tier**

***Mark Scheme***

Mark schemes are prepared by the Principal Examiner and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation events which all examiners participate in and is the scheme which was used by them in this examination. The standardisation process ensures that the mark scheme covers the candidates' responses to questions and that every examiner understands and applies it in the same correct way. As preparation for standardisation each examiner analyses a number of candidates' scripts: alternative answers not already covered by the mark scheme are discussed and legislated for. If, after the standardisation process, examiners encounter unusual answers which have not been raised they are required to refer these to the Principal Examiner.

It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of candidates' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

Further copies of this Mark Scheme are available from: [aqa.org.uk](http://aqa.org.uk)

Copyright © 2011 AQA and its licensors. All rights reserved.

### **Copyright**

AQA retains the copyright on all its publications. However, registered centres for AQA are permitted to copy material from this booklet for their own internal use, with the following important exception: AQA cannot give permission to centres to photocopy any material that is acknowledged to a third party even for internal use within the centre.

Set and published by the Assessment and Qualifications Alliance.

## Glossary for Mark Schemes

GCSE examinations are marked in such a way as to award positive achievement wherever possible. Thus, for GCSE Mathematics papers, marks are awarded under various categories.

<b>M</b>	Method marks are awarded for a correct method which could lead to a correct answer.
<b>A</b>	Accuracy marks are awarded when following on from a correct method. It is not necessary to always see the method. This can be implied.
<b>B</b>	Marks awarded independent of method.
<b>Q</b>	Marks awarded for quality of written communication. (QWC)
<b>M Dep</b>	A method mark dependent on a previous method mark being awarded.
<b>B Dep</b>	A mark that can only be awarded if a previous independent mark has been awarded.
<b>ft</b>	Follow through marks. Marks awarded following a mistake in an earlier step.
<b>SC</b>	Special case. Marks awarded within the scheme for a common misinterpretation which has some mathematical worth.
<b>oe</b>	Or equivalent. Accept answers that are equivalent. eg, accept 0.5 as well as $\frac{1}{2}$

**Higher Tier: Paper 2**

<b>Q</b>	<b>Answer</b>	<b>Mark</b>	<b>Comments</b>
<b>1</b>	$360 \div 5$ with no further working	M1	$180 - (540 \div 5)$
	72	A1	
<b>2</b>	2 km, 2000 m or 20 seen	B1	
	$(3.50 +) 20 \times 0.3$	M1	$(350 +) 2 \times$ their conversion if a power of $10 \times 30$ (0.3 etc)
	9.50	A1	9.5 is A0 unless £9.50 seen in working
<b>3(a)</b>	50	B1	
<b>3(b)</b>	$(a =) (15 \div 3) - 1$ $(a +) 1 = 15 \div 3$	M1	$3(1 + a) = 15$
	$(a =) 4$	A1	
	57	A1 ft	ft $(15 + \text{their } a) \times 3$ if M awarded If different answers on sequence and answer line, then mark the answer line
<b>4(a)(i)</b>	0.87358(1847 ...)	B1	Allow $\frac{539}{617}$
<b>4(a)(ii)</b>	0.874	B1 ft	ft Any value $\geq 4$ sf rounded to 3 sf.
<b>4(b)</b>	1.25	B1	$\frac{10}{8}, \frac{5}{4}, 1\frac{1}{4}, 1\frac{2}{8}$
<b>5</b>	$8h - 24$ or $2h + 2h + 4(h - 6)$	M1	$12 + 12 + 32 = 56$
	$8h - 24 = 56$	M1	$32 = 8 \times 4$
	10	A1	$4 + 6 = 10$
<b>5 Alt 1</b>	$4 \times 6 (= 24)$	M1	
	Their $24 + 56 (= 80)$	M1 Dep	
	10	A1	
<b>5 Alt 2</b>	$56 - 24 (= 32)$	M1	$12 + 12 + 8(h - 6)$
	Their $32 \div 8 (= 4)$	M1 Dep	
	10	A1	

Q	Answer	Mark	Comments
6	Straight line from $(-4, -13)$ to $(4, 11)$	B3	B1 For line passing through $(0, -1)$ B1 For line with a gradient of 3 B1 For any coordinate calculated B1 For any other coordinate calculated SC2 $y = 6x - 1$ drawn
7(a)(i)	0.126	B1	oe $\frac{63}{500}, \frac{126}{1000}$
7(a)(ii)	Any one of More 3s Fewer 1s Should be about 0.25 Should be about 250 each	B1	oe
7(b)	100	B1	
8(a)	$3\frac{1}{5}$	B1	
8(b)	$\frac{28}{45}$	B1	
8(c)	$1\frac{1}{3}$	B1	
8(d)	0.18... , 0.1818..., $0.\dot{1}\dot{8}$	B1	At least 0.1818 Use of any notation for recurrence
9	Sector for USA = $56^\circ$ drawn and labelled <b>or</b> stated	B1	
	Sector for Spain = $124^\circ$ drawn and labelled <b>or</b> stated	B1	SC B1 If USA + Spain = $180^\circ$
	Angle for England $72^\circ$ drawn and labelled <b>or</b> stated	B1	Sector for France = $76^\circ$ drawn and labelled or stated
	Accurately drawn for correct angles	B1	

Q	Answer	Mark	Comments
<b>10</b>	$10.3 \times 40 \div 100$ (4.12)	M1	
	Their $4.12 \div 50 \times 100$	M1 Dep	M2 For $40 \div 50 \times 10.3$
	8.24, 8.2	A1	Accept 8 with working
<b>10 Alt</b>	$50 \div 10.3 \times 100$ (485.4)	M1	$10.3 \div 50 \times 100$ (20.6)
	$40 \div$ Their $485.4 \times 100$	M1 Dep	Their $20.6 \div 100 \times 40$
	8.24, 8.2	A1	Accept 8 with working
<b>11</b>	$80 \div 4$ (= 20)	M1	
	Their $20 \times 8$	M1	
	$\div 1000$ or $\div 100$	M1	
	0.16	A1	SC3 For 0.08
<b>11 Alt</b>	$80 \times 15$	M1	1200
	Their $1200 \times 8$	M1	9600
	$\div 1000$ or $\div 100$ <b>and</b> $\div 60$	M1	
	0.16	A1	
<b>12</b>	Trial using $x \leq 3$ giving answer above 29 with correct answers rounded or truncated to a whole number	M1	Ignore any comments $3 \Rightarrow 45, 2.5 \Rightarrow 30.6$
	Refined trial with $x \geq 2.4$ giving answer below 29 with correct answers rounded or truncated to 1 dp	M1	$2.4 \Rightarrow 28.2$
	Trial to at least 2 dp that shows which 1 dp value is correct with answers rounded or truncated to 1 dp	M1	$2.45 \Rightarrow 29.4, 2.44 \Rightarrow 29.1, 29.2$
	2.4	A1	This can be awarded as long as first two Ms awarded
<b>13</b>	$3 \times 125 + 6 \times 135 + 7 \times 145 + 8 \times 155 + 6 \times 165$ (= 4430)	M1	Allow one error in the midpoints <b>NB</b> Consistent midpoint error such as 125.5 is one error
	Their $4430 \div 30$	M1 Dep	
	147.6 to 147.7	A1	Accept 148 with correct working

Q	Answer	Mark	Comments
14(a)	$\frac{1}{3}, 0.\dot{3}$	B1	oe
14(b)	$5y - 3y = -1 - 2$	M1	Allow one arithmetic or rearrangement error
	$2y = -3$	A1	
	$-1.5$	A1 ft	ft on <b>one</b> arithmetic or rearrangement error
14(c)	$5(2w - 3) - 2(3w + 1)$	M1	
	$4w - 17$	A1	
	Their $4w - 17 = 10$	M1	
	$6.75$	A1	ft If both Ms awarded and at most one arithmetic or rearrangement error
14 (c) Alt	$w - \frac{3}{2} - \frac{3}{5}w - \frac{1}{5}$	M1	
	$\frac{2}{5}w - \frac{17}{10}$	A1	
	Their $\frac{2}{5}w = 1 + \frac{17}{10}$	M1	
	$6.75$	A1	ft If both Ms awarded and at most one arithmetic or rearrangement error.
15(a)	Values such that $(a + b) \times h = 60$ , with $a$ and $b$ different	B2	B1 If 60 seen or $a$ and $b$ same
15(b)	$2A = (a + b)h$ $\frac{A}{\frac{1}{2}} = h(a + b)$ $\frac{A}{\frac{1}{2}}$	M1	$\frac{A}{h} = \frac{1}{2}(a + b)$ $A - \frac{1}{2}ah = \frac{1}{2}bh$
	$\frac{2A}{h} = a + b$ $\frac{A}{\frac{1}{2}h} = a + b$ $\frac{A}{\frac{1}{2}h}$	M1 Dep	$\frac{A - \frac{1}{2}ah}{\frac{1}{2}h} = b$ $b = \frac{\frac{A}{h} - \frac{1}{2}a}{\frac{1}{2}}$
	$b = \frac{2A}{h} - a$ $b = \frac{2A - ha}{h}$	A1	<b>NB</b> Must have $b =$

Q	Answer	Mark	Comments
<b>16</b>	$(763 + 1020 + 733 + 452) \div 4$	M1	$2968 \div 4$
	742	A1	
	$(x + 863 + 1212 + 853) \div 4 = 862$ or $4 \times 862 - (863 + 1212 + 853)$ $[(x + 2928) \div 4 = 862]$	M1	$(x + 831 + 1108 + 809) \div 4 = 817$ or $4 \times 817 - (831 + 1108 + 809)$ or $(x + 1108 + 809 + 863) \div 4 = 825$ or $4 \times 825 - (863 + 1108 + 809)$ or $(x + 863 + 1212 + 809) \div 4 = 851$ or $4 \times 851 - (863 + 1212 + 809)$
	520, 520.00	A1	Allow 520.0
<b>17</b>	1.065 seen	B1	
	Any attempt at $3000 \times 1.065^n$ where $n > 2$	M1	$1.065^n$ where $n > 2$
	$3000 \times 1.065^{11} = 5997 \dots$	M1 Dep	$1.065^{11} = 1.99915 \dots$
	11 years, 12 years	A1	Accept just over 11 years
<b>17 Alt</b>	Using the 'work out the interest and add it on' method for at least 3 years  3195, 3402.68, 3623.85	M1	Values can be rounded or truncated
	Correct calculations for at least 7 years	M1	3859.40, 4110.26, 4377.43, 4661.96 Values can be rounded or truncated
	Correct values to $n = 11$ (see table below)	M1 Dep	4964.99, 5287.71, 5631.41, 5997.45
	11 years, 12 years	A1	Accept just over 11 years
<b>17 SC</b>	$3000 \div (3000 \times 0.065)$ $3000 \div 195$ or 15 years = 5925 or 2925 16 years = 6120 or 3120	M1	$1 \div 0.065$
	15.38 years	A1	Conclusion such as just over 15 or 16 years



Q	Answer	Mark	Comments
<b>18</b>	$(x + a)(x + b)$	M1	$ab = \pm 5$
	$(x + 5)(x - 1)$	A1	
	<b>-5 and 1</b>	A1 ft	ft Their brackets if M awarded.
<b>18 Alt 1</b>	$\frac{-(4) \pm \sqrt{(4^2) - 4(1)(-5)}}{2(1)}$	M1	Allow 1 error from: Wrong $-b$ , wrong $b^2$ , $-20$ for $-4ac$
	$\frac{-4 \pm \sqrt{36}}{2}$	A1	
	<b>-5 or 1</b>	A1ft	ft Only on wrong $-b$ (5 or $-1$ )
<b>18 Alt 2</b>	$(x + 2)^2 - 9$	M1	$(x + 2)^2 = 9$
	$x + 2 = \pm 3$	A1	
	<b>-5 or 1</b>	A1ft	
<b>19</b>	$\frac{60}{360} \times \pi r^2 = 24\pi$	M1	oe
	$r^2 = 6 \times 24 (= 144)$	A1	$r^2 = 24 \div \text{their } \frac{1}{6}$
	<b>12</b>	A1	
<b>19 SC</b>	$\frac{60}{360} \times \pi r^2 = 24$	M1	Must do both steps.
	$r^2 = \frac{6 \times 24}{\pi} = \left(\frac{144}{\pi}\right)$		
	<b>6.77</b>	A1	

Q	Answer	Mark	Comments
<b>20(a)</b>	$(x^2 =) 11^2 + 12^2 - 2 \times 11 \times 12 \times \cos 98$	M1	Sight of 228.2... implies M1
	301.74...	A1	
	17.4, 17.37	A1ft	17 with working ft On 228.2 to give 15.11 or 15.108 or 15.1 or 15
<b>20(b)</b>	$\frac{\sin x}{7} = \frac{\sin 112}{13}$	M1	$\frac{7}{\sin x} = \frac{13}{\sin 112}$
	$(\sin x =) \frac{\sin 112 \times 7}{13}$	A1	0.4992528448
	29.9 to 30	A1	
<b>21</b>	Identifying possible totals as 7 and 9 and 8 and 9	M1	Ignore repeats 8 and 8, and 9 and 9 for M1
	$P(7 \text{ and } 9) + P(9 \text{ and } 7) + P(8 \text{ and } 9) + P(9 \text{ and } 8)$	M1	Allow just one '7 and 9' or '8 and 9' for M1 but not two errors
	$(4 \times) \frac{1}{9} \times \frac{1}{8}$	A1	
	$\frac{1}{18}, \frac{2}{36}, 0.055..., 5.5\%$	A1ft	ft $\frac{1}{24}$ if just one '7 and 9' or '8 and 9' identified scores 3/4  SC2 For $\frac{4}{81}$ or $\frac{1}{36}$  SC1 For $\frac{2}{81}$

Q	Answer	Mark	Comments
<b>21</b> <b>Alt 1</b>	Identifying possible totals as 7 and 9 and 8 and 9	M1	Ignore repeats and 8 and 8 for M1
	Attempt to list how many possible combinations there are eg sample space diagram, 1 – 8, 2 – 7, 3 – 6 etc	M1	36 or 72 possibilities
	4 alternatives identified out of 72	A1	2 alternatives identified out of 36
	$\frac{1}{18}, \frac{2}{36}, 0.055 \dots, 5.5\%$	A1	
<b>21</b> <b>Alt 2</b>	Tree diagram with at least 2 branches for first pick marked as 7, 8 and 9 and at least 2 branches for 2nd pick marked as 7, 8 and 9	M1	
	Probs on relevant branches marked as 2/9, 1/9 and 1/8, 2/8	M1	
	$\frac{2}{9} \times \frac{1}{8} + \frac{1}{9} \times \frac{2}{8}$	A1	oe
	$\frac{1}{18}, \frac{2}{36}, 0.055 \dots, 5.5\%$	A1	
<b>22(a)</b>	0.5 to 0.6 inclusive	B1	
<b>22(b)</b>	$(x^2 + 3x - 2) - (x^2 + 2x - 4)$	M1	oe Accept the lines $y = x - 2, y = -x - 2$ or $-y = -x + 2$ as evidence for M1
	$(y = ) x + 2$ drawn or stated	A1	
	–3.2 to –3.3 inclusive and 1.2 to 1.3 inclusive	A1ft	ft Their line if M1 awarded Answers must come from a line drawn on graph

Q	Answer	Mark	Comments
<b>23</b>	11.5 or 12.5 (12.4999... or recurring notation) <b>AND</b> 29.5 or 30.5 (30.4999... or recurring notation)	B1	Ignore incorrect limits. Award the mark if there is one correct limit for base and area. Minimum required if recurrence notation used is 30.49...
	Their upper area = $\frac{1}{2} \times$ their lower base $\times h$	M1	oe $30.5 = \frac{1}{2} \times 11.5 \times h$
	$(h =) \frac{2 \times 30.5}{11.5}$	A1	Minimum required if recurrence notation use is 30.49...
	5.304, 5.30, 5.3	A1	
<b>24(a)</b>	$\frac{5(-1) + 9}{6(-1)^2 - 7(-1) - 3} = \frac{-5 + 9}{6 + 7 - 3}$	M1	This mark is for substituting $-1$ into top and bottom expressions
	$= \frac{4}{10}$	A1	Do not award for sight of $\frac{4}{10}$ alone There must be evidence of substitution
<b>24(b)</b>	$5(5x + 9) = 2(6x^2 - 7x - 3)$	M1	
	$0 = 12x^2 - 39x - 51 (= x^2 - 13x - 17)$	A1	Mentions or implies cancelling factor of 3
<b>24(c)</b>	$(4x^2 - 13x - 17 =) (x + 1)(4x - 17)$	M1	Allow a sign error in factorisation If using formula must get to $\frac{13 \pm \sqrt{441}}{8}$ for M1
	$(-1)$ and 4.25	A1	oe

Q	Answer	Mark	Comments
25(a)	$\vec{AC} = -\mathbf{r} - \mathbf{s} + 2\mathbf{r}$	M1	$\vec{BA} + \vec{AF} + \vec{FC}$
	$\mathbf{r} - \mathbf{s}$	A1	oe
25(b)	$\vec{AC} = 2\mathbf{r} - \mathbf{s}$	B1	
	$\vec{CG} = -\mathbf{s} + 2\mathbf{r}$	B1	oe
	$\vec{AC}$ and $\vec{CG}$ are parallel	B1 Dep	$\vec{AC} = \vec{CG}$ is B2
	Share a common point	B1 Dep	Must mention common point
25(b) Alt	$\vec{AC} = 2\mathbf{r} - \mathbf{s}$	B1	
	$\vec{AG} = -2\mathbf{s} + 4\mathbf{r}$	B1	oe
	$\vec{AG} = 2\vec{AC}$ is B2	B1	$\vec{AG} = 2\vec{AC}$ is B2
	Share a common point	B1	Must mention common point